

Druckluftwerkzeuge | Druckluftmotoren

- For installation in transfer lines, machine tools and robot stations
- Stainless steel housings
- Stainless steel spindles
- Ideal for drilling and brushing
- Without valve for central remote control
- Small housing diameter for minimum centre-to-centre spacing
- Rotating splashguard to prevent penetration of dust, water or chips



--

Technical Data

Type	EBM 2900 S - MRD
Article Nr.	29948337
Free speed	2900 min ⁻¹
Power	380 Watt
Direction of rotation	clockwise
ER collet	6 mm
Exhaust air	to rear
Noise level	72 dB(A)
Air consumption	8.5 ls
Weight	1.12 kg
Connection air supply (hose) Ø inside outside	10 12

All data related to 6.3 bar working pressure.
Subject to technical alterations.


Druckluftwerkzeuge | Druckluftmotoren

Accessories

Type	Article Nr.
collet 3 mm	9369855
collet 5 mm	9369850
collet 6 mm	9369839
collet 8 mm	9369842
collet 10 mm	9369852
speed throttle 1/4"	9361705
bottom flange Ø 42 mm	29948415
Oil trap nominal flow 2000L/min	60025986
Maintenance unit 1/4"	03029074
Maintenance unit 1/2"	03029274

Additional Images





EBM 2900 S
29948337

